

## Description

Soundis ThermoEdge perimeter edge strips are supplied with a bonded PVC apron and also the option of self-adhesive backing, making them the complete solution for all flooring applications.

The material is an extruded closed cell polyethylene foam, which uses unique thermoplastic adhesive layers during the manufacturing process to give the foam additional tensile and compressive strength.

ThermoEdge perimeter strips are ideal for use with all types of screed and concrete floors to effectively

deal with isolation and expansion. They are also ideal for thermally insulated floors and underfloor heating applications, where the apron can be easily taped to the insulation layers to prevent screed migration.



Technical Properties		
Apron Material	LDPE film	
Self Adhesive Backing	Biaxial oriented polyproplene (BOPP)	
Working Temperature	-40 / +60 degrees C	
Thermal Conductivity	0.038 W/mK	
Water Absorption	0.02 - 0.03 mg/cm2	
Colour	Red	

Size Dimensions			
Parameter	Nominal Size	Tolerance	
Thickness	8mm	7.2mm - 8.8mm	
Width	150mm	147mm - 153mm	
Length	25m	24.7m - 26.5m	

Roll Size Options			
Length	Height	Width	
25m	100mm	5mm	
50m	150mm	8mm	
75m	175mm	10mm	



Datasheet No. V2.12/0124

Technical Datasheet (+44) 330 056 3195